

INJURY AND VIOLENCE DISPARITIES BETWEEN LGBQ+ AND HETEROSEXUAL YOUTH

## INTRODUCTION

Youth who identify as lesbian, gay, bisexual, questioning, or other non-heterosexual identity (LGBQ+) are resilient<sup>1</sup> and diverse, representing every racial, ethnic, and socioeconomic group and are present in every community across the U.S.<sup>2</sup> They make up 24% of the high-school aged population.<sup>3</sup> While acceptance, affirmation, and inclusion of youth with these identities has increased, significant yet preventable disparities persist.<sup>4</sup> Data from the 2021 Youth Risk Behavior Surveillance System (YRBSS; a survey that is representative of 45 states)<sup>3</sup> show that LGBQ+ youth have disproportionately higher rates of experiencing injury and violence, compared to their heterosexual peers. These types of violence and injury include:

Bullying	Bullying is any unwanted aggressive behavior by another youth or group of youths, who are not siblings or current dating partners, that involves a perceived power imbalance, and is repeated multiple times or is highly likely to be repeated. Bullying can involve physical, verbal, and relational/social harm, as well as damage to property. It can occur in person or electronically. Bullying victimization (being a target of bullying) can contribute to physical injury, mental health problems, and academic problems. <sup>5</sup>	
Dating Violence	Dating violence is a type of intimate partner violence that can involve physical or sexual aggression, psychological control, and stalking behaviors. It can also take place in person or electronically. Teen dating violence can have immediate consequences, as well as set the stage for future relationship problems. <sup>6</sup>	
Suicide Risk	Suicide, a fatal self-inflicted act, is a leading cause of death among youth, and rates have increased in recent years. <sup>7</sup> Suicidal ideation, thoughts about suicide, and past non-fatal attempts are predictive of youth suicide. <sup>8</sup>	
Substance Use	While substance (e.g., alcohol, tobacco, illicit drug) use can be dangerous at any age, use among youth can be especially problematic. Youth substance use can harm physical health, affect brain development, and is associated with academic and behavioral problems. Studies show early initiation predicts substance use disorder later in life. <sup>9</sup>	





#### APRIL 2024

This project is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under the Child and Adolescent Injury and Violence Prevention Resource Centers Cooperative Agreement (U49MC28422) for \$5,000,000 with 0 percent financed with non-governmental sources. This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS or the U.S. Government.

# **INJURY AND VIOLENCE DISPARITIES**

The 2021 YRBSS shows that compared to heterosexual youth, LGBQ+ youth are:

- » Approximately twice as likely to report bullying victimization
- » Approximately 2.5 times as likely to report dating violence
- » About 3 to 4 times as likely to report suicide risk
- » About 1.2 to 3 times as likely to report substance use

	LGBQ+ Youth	Heterosexual Youth
Bullying		
Bullied electronically	27%	13%
Bullied on school property	23%	12%
Dating Violence		
Experienced sexual dating violence	19%	7%
Experienced physical dating violence	15%	6%
Suicide Risk		
Seriously considered attempting suicide	45%	15%
Attempted suicide	22%	6%
Substance Use		
Current alcohol use	26%	22%
Current electronic vapor product use	22%	16%
Current cigarette use	6%	3%
Current prescription opioid misuse	11%	4%

## **RISK FACTORS**

There are several risk factors that help us understand disparities experienced by sexual minority youth, including:

- » Stigma coming from peers, family, society, and even the self (internalized stigma).
  - Experiencing stigma and social exclusion can negatively affect mental health and increase risky behaviors, such as substance use.<sup>10</sup>
- » Discriminatory policies against sexual minority individuals.
  - Hearing about potential state or local laws banning people from discussing sexual minority people at school has a negative impact on mental health.<sup>11,12</sup>
- » Disproportionate access to quality mental and physical health care.
  - While many sexual minority youth want mental and physical health care, many feel that they cannot access it out of fear of discrimination from healthcare providers.<sup>11,13</sup>
  - There is a lack of education and training on healthcare for sexual minority youth among healthcare providers.<sup>14</sup>

# **PROTECTIVE FACTORS**

It is important to focus on protective factors to **prevent** disparities. Recommendations include:

- » Build resilience.
  - Too much focus on risk factors can inspire fear among youth, as well as suggest to the public that sexual identity is the cause of those risks. Instead, highlight the importance of diversity and celebrate positive experiences of being LGBQ+.<sup>15,16</sup>
  - Utilize programs that help LGBQ+ youth learn coping skills, such as <u>AFFIRM</u> Youth.<sup>17,18</sup>
- » Form affirming, inclusive, welcoming, and supportive communities.
  - Access to affirming homes, schools, and online spaces is associated with lower rates of suicide among LGBQ+ youth.<sup>19,20</sup>
  - Form <u>Genders & Sexualities Alliances</u>/Gay Straight Alliances (GSAs).<sup>21</sup>
  - Utilize programs and resources for adults to create safe and affirming environments, such as <u>Affirm Caregiver</u>.<sup>22</sup>
- » Adapt school programs.
  - Adapt programs to include sexual minority youth, for example anti-bullying programs that mention targeting based on sexual orientation<sup>23</sup> and teen dating violence interventions that are culturally tailored to sexual minority youth.<sup>24</sup>
- » Inform and train healthcare providers.
  - Make use of evidence-based, culturally responsive programs that inform and train healthcare providers, such as the <u>SAMHSA LGBT Training Curricula for Behavioral</u> <u>Health and Primary Care Practitioners</u> and the <u>HRSA-supported National LGBTQIA+</u> <u>Health Education Center</u>.

CSN is committed to achieving health equity for all infants, children, and adolescents, and views the health disparities that lesbian, gay, bisexual, transgender, questioning, or other non-heterosexual identity (LGBTQ+) youth experience in the context of social determinants of health. Root causes related to LGBTQ+ youth disparities must be identified and addressed to achieve true health equity. Structural discrimination and inequitable access to health care has put LGBTQ+ youth at greater risk of negative health outcomes. Social stigma regarding sexual and romantic preferences and identities contribute to disparities experienced by LGBTQ+ youth. These youth often experience discrimination, harassment, family rejection, and social rejection, placing them at greater risk for violence and injury.

## REFERENCES

- Lira, A. N., & Morais, N. A. (2018). Resilience in lesbian, gay, and bisexual (LGB) populations: An integrative literature review. *Sexuality Research and Social Policy: A Journal* of the NSRC, 15(3), 272–282. <u>https://doi.org/10.1007/s13178-017-0285-x</u>
- 2. Centers for Disease Control and Prevention. (2019). Health considerations for LGBTQ youth. https://www.cdc.gov/healthyyouth/disparities/health-considerations-lgbtq-youth.htm
- 3. Centers for Disease Control and Prevention. 2021 Youth Risk Behavior Survey Data. Available at: <u>www.cdc.gov/yrbs</u>. Accessed on January 23, 2024.
- Russell, S. T. & Fish, J. N. (2019). Sexual minority youth, social change, and health: A developmental collision. *Research in Human Development*, 16(1), 5-20. <u>https://doi.org/10.10</u> <u>80/15427609.2018.1537772</u>
- 5. Centers for Disease Control and Prevention. (2023). Fast facts: Preventing bullying. <u>https://www.cdc.gov/violenceprevention/youthviolence/bullyingresearch/fastfact.html</u>
- 6. Centers for Disease Control and Prevention. (2023). Fast facts: Preventing teen dating violence. <u>https://www.cdc.gov/violenceprevention/intimatepartnerviolence/teendatingviolence/fastfact.html</u>
- Curtin, S. C., & Garnett, M. F. (2023). Suicide and homicide death rates among youth and young adults aged 10-24: United States, 2001-2021. NCHS Data Brief, (471), 1–8. <u>https:// pubmed.ncbi.nlm.nih.gov/37367034/</u>
- 8. Bilsen J. (2018). Suicide and youth: Risk factors. *Frontiers in Psychiatry*, 9, 540. <u>https://doi.org/10.3389/fpsyt.2018.00540</u>
- Hamidullah, S., Thorpe, H. H. A., Frie, J. A., Mccurdy, R. D., & Khokhar, J. Y. (2020). Adolescent substance use and the brain: Behavioral, cognitive and neuroimaging correlates. *Frontiers in Human Neuroscience*, 14, 298. <u>https://doi.org/10.3389/fnhum.2020.00298</u>
- Pascoe, E. A., & Smart Richman, L. (2009). Perceived discrimination and health: A metaanalytic review. *Psychological Bulletin*, 135(4), 531–554. <u>https://doi.org/10.1037/a0016059</u>
- 11. The Trevor Project. (2023). 2023 U.S. national survey on the mental health of LGBTQ young people. <u>https://www.thetrevorproject.org/survey-2023/</u>
- Horne, S. G., McGinley, M., Yel, N., & Maroney, M. R. (2022). The stench of bathroom bills and anti-transgender legislation: Anxiety and depression among transgender, nonbinary, and cisgender LGBQ people during a state referendum. *Journal of Counseling Psychology*, 69(1), 1–13. <u>https://doi.org/10.1037/cou0000558</u>
- Hafeez, H., Zeshan, M., Tahir, M. A., Jahan, N., & Naveed, S. (2017). Health care disparities among lesbian, gay, bisexual, and transgender youth: A literature review. *Cureus*, 9(4), e1184. <u>https://doi.org/10.7759/curus.1184</u>
- 14. Roth, L. T., Friedman, F., Gordon, R., & Catallozzi, M. (2020). Rainbows and "ready for residency": Integrating LGBTQ health into medical education. *MedEdPORTAL*, 16. <u>https://doi.org/10.15766/mep\_2374-8265.11013</u>
- 15. Suicide Prevention Resource Center & NORC. (2023). Mental health promotion and suicide prevention for LGBTQIA2S+ youth: A resource guide for professionals, families, and communities. <u>https://sprc.org/wp-content/uploads/2023/09/LGBTQIA2S-Resource-Guide.pdf</u>

- Robinson, B. A., & Schmitz, R. M. (2021). Beyond resilience: Resistance in the lives of LGBTQ youth. Sociology Compass, e12947. <u>https://doi.org/10.1111/soc4.12947</u>
- Craig, S.L., & Austin, A. (2016). The AFFIRM open pilot feasibility study: A brief affirmative cognitive behavioral coping skills group intervention for sexual and gender minority youth. *Children and Youth Services Review*, 64, 136–144. <u>https://doi.org/10.1016/j. childyouth.2016.02.022</u>
- 18. Craig, S.L, Leung, V., Pascoe, R., Pang, N., Iacono, G., Austin, A. & Dillon, F. (2021). AFFIRM Online: Utilizing an affirmative cognitive-behavioural digital intervention to improve mental health, access and engagement among LGBTQA+ youth and young adults. *International Journal of Environmental Research and Public Health*, 18, 1541. <u>https://doi.org/10.3390/ ijerph18041541</u>
- 19. Madireddy, S. & Madireddy, S. (2022). Supportive model for the improvement of mental health and prevention of suicide among LGBTQ+ youth. *International Journal of Adolescence and Youth*, *27*(1), 85–101. <u>https://doi.org/10.1080/02673843.2022.2025872</u>
- 20. Chaiton, M., Thorburn, R., Chan, E., Copeland, I., Luphuyong, C., Feng, P. (2023). Evaluating web-based care for mental health and substance use issues for lesbian, gay, bisexual, transgender, queer, questioning, and 2-spirit youths in the context of the COVID-19 pandemic: Community-based participatory research study. *Journal of Medical Internet Research, 25.* <u>https://doi.org/10.2196/44292</u>
- 21. Ceatha, N., Koay, A. C. C., Buggy, C., James, O., Tully, L., Bustillo, M., & Crowley, D. (2021). Protective factors for LGBTI+ youth wellbeing: A scoping review underpinned by recognition theory. *International Journal of Environmental Research and Public Health*, 18(21), 11682. <u>https://doi.org/10.3390/ijerph182111682</u>
- 22. Austin, A., Craig, S. L., Matarese, M., Greeno, E. J., Weeks, A., & Betsinger, S. A. (2021). Preliminary effectiveness of an LGBTQ+ affirmative parenting intervention with foster parents. *Children and Youth Services Review*, 127, 106107. <u>https://doi.org/10.1016/j. childyouth.2021.106107</u>
- 23. American Psychological Association. (2015). School-based risk and protective factors for gender diverse and sexual minority children and youth: Improving school climate. <u>https://www.apa.org/pi/lgbt/programs/safe-supportive/lgbt/risk-factors.pdf</u>
- 24. Price, M. N., Green, A. E., DeChants, J. P., & Davis, C. K. (2023). Physical dating violence victimization among LGBTQ youth: Disclosure and association with mental health. *Journal of Interpersonal Violence, 38*(15-16), 9059–9085. <u>https://doi.org/10.1177/08862605231162655</u>

## Facebook:

facebook.com/childrenssafetynetwork

## LinkedIn:

linkedin.com/company/childrens-safety-network

**X:** <u>twitter.com/ChildrensSafety</u>

## YouTube:

youtube.com/@ChildrensSafetyNetwork

**Newsletter:** go.edc.org/CSNNewsletter



Children's Safety Network 300 Fifth Avenue, Suite 2010 Waltham, MA 02451

#### APRIL 2024

This project is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under the Child and Adolescent Injury and Violence Prevention Resource Centers Cooperative Agreement (U49MC28422) for \$5,000,000 with 0 percent financed with non-governmental sources. This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS or the U.S. Government.